


BENCH MARK: B.M. 49 - N.T. at N.E. Cor. of 566' plan of Magnolia Drive in theater square. Shown on City Plans R-261 & R-1021. Elev. 729.23



STREET LIGHT LEGEND & NOTES

○ indicates City of Riverside standard light standard No. 5502 with 300 L, 125 W, Type II except as noted, "one material" mercury vapor luminaire with individual photometric receptacle and control unit. Cut No. LM-1741 or approved equal.

— indicates No. 3/4 pullbox Brooks Products Inc. or Quaker #E-17 or approved equal.

— indicates 1" rigid galvanized steel conduit.

All street light standards and pullboxes to be field tested by contractor, according to plans, and approved by utilities personnel.

All street light standards shall be checked for clearance of driveways, trucks and returns. Contractor to obtain a street opening permit from City of Riverside Public Works Dept. prior to any excavation in proposed or dedicated street right-of-way.

Backfill to be of type and compacted as specified by Public Works Dept. Specification #261.

All construction to comply with the latest revision of the City of Riverside Public Utilities Dept. Street Light Specification No. 119.

Inspections to be called for as outlined in Specification No. 119.

This is a two wire 240 volt multiple system.



All cable to be as specified in Specification No. 119.

Feed point to be determined.

See City of Riverside Div. No. 11-13008 for Light Standard Details, Div. No. 11-13003 for pullbox details and Div. No. 11-13371 for riser details.

*\$300 connection and inspection fee to be paid. Date paid: _____

- GENERAL NOTES:**
- It shall be the responsibility of the contractor to clear the right of way in accordance with the provisions of the law as it affects each utility including irrigation lines and appurtenances and at no cost to the City.
 - Construction shall be in accordance with City of Riverside, Department of Public Works Specifications No. 451 and Standard Drawings.
 - Prime coat, seal coat and paint binder are required.
 - Grading will require a permit under Ordinance No. 3093 for a cut or fill exceeding 100 cubic yards or a fill over one foot in depth.
 - Base and paving shall not be installed until the sewer per City of Riverside Div. No. 5-715 has been installed to the specifications of the Public Works Department.
 - Contractor shall notify property owners 24 hours in advance of any construction that will affect access to private drives.
 - Contractor shall notify So. Cal. Gas Co. at 682-1660 Ext. 301 at least 24 hours prior to construction.
 - Contractor to contact the City Engineer two weeks prior to starting work to negotiate City portion of the work.



CRAWLEY, HAWKINS & HIEBER
ENGINEERS & SURVEYORS
RIVERSIDE, CALIFORNIA

Approved: *Langley O. Crawley* Date: 11/16/62
Reg. Civil Engr. No. 9455

FOO: John Clark 11-16-62

STREET LIGHTING APPROVED:
Paul Campbell 12-7-62
General Supt. & Chief Engineer

CITY OF RIVERSIDE, CALIFORNIA
DEPARTMENT OF PUBLIC WORKS

APPROVED BY: *John A. ...*
OFFICE ENGINEER
DATE: 11/17/62

STREET PLAN & PROFILE
STREET LIGHTING PLAN

NYE AVENUE
WEST SIDE
266' SLY TO 562' SLY OF E MAGNOLIA AVE.
C.U.P. PERMIT C-8-678

PROJECT NO. L5-13283
R-1345
SHEET 1 OF 1
FILE NO. 4126

HORIZ. SCALE: 1" = 40'
VERT. SCALE: 1" = 4'